

admin1names

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
countryId	int(10) unsigned			0		
name	varchar(55)					
pCode	varchar(15)	YES				
defaultAdmin	tinyint(1)	YES		0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

admin2names

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
admin1Id	varchar(14)					
name	varchar(55)					
pCode	varchar(15)	YES				
defaultAdmin	tinyint(1)	YES		0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

admin3names

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
admin2Id	varchar(14)					
name	varchar(55)					
pCode	varchar(15)	YES				
defaultAdmin	tinyint(1)	YES		0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

admin4names

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
admin3Id	varchar(14)					
name	varchar(55)					
pCode	varchar(15)	YES				
defaultAdmin	tinyint(1)	YES		0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

beneficiary

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	21		

capsector

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	int(11)		PRI	0		
name	varchar(55)					
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	18		

contact

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
orgld	varchar(14)	YES				
officeld	varchar(14)	YES				
salutation	varchar(5)	YES				
firstName	varchar(50)					
lastName	varchar(50)					
title	varchar(50)	YES				
responsibility	varchar(100)	YES				
phone1	varchar(100)	YES				
phone2	varchar(100)	YES				
fax	varchar(50)	YES				
satPhone	varchar(50)	YES				
radioCallSign	varchar(50)	YES				
primaryEmail	varchar(100)	YES				
secondaryEmail	varchar(100)	YES				
mailingGroupld	blob	YES				
sectorld	blob	YES				
themeld	blob	YES				
endMissionDate	varchar(10)	YES				
address1	varchar(100)	YES				
address2	varchar(100)	YES				
zipCode	varchar(10)	YES				
countryld	int(3)	YES				
admin1ld	varchar(14)	YES				
admin2ld	varchar(14)	YES				
admin3ld	varchar(14)	YES				
admin4ld	varchar(14)	YES				
privacyStatus	enum('0','1')	YES		0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

contactwebinput

Field Name	Field Type	AllowNull	Key	Default	Extra
id	varchar(14)		PRI		
orgId	varchar(14)	YES			
orgName	varchar(100)	YES			
orgType	varchar(14)	YES			
orgAcronym	varchar(25)	YES			
orgClusterId	blob	YES			
orgWebsite	varchar(150)	YES			
officeId	varchar(14)	YES			
salutation	varchar(5)	YES			
firstName	varchar(50)				
lastName	varchar(50)				
title	varchar(50)	YES			
responsibility	varchar(6)	YES			
phone1	varchar(100)	YES			
phone2	varchar(100)	YES			
fax	varchar(50)	YES			
satPhone	varchar(50)	YES			
radioCallSign	varchar(50)	YES			
primaryEmail	varchar(100)	YES			
secondaryEmail	varchar(100)	YES			
mailingGroupId	blob	YES			
sectorId	blob	YES			
themId	blob	YES			
endMissionDate	varchar(10)	YES			
address1	varchar(40)	YES			
address2	varchar(40)	YES			
zipCode	varchar(10)	YES			
countryId	int(3)	YES			
admin1Id	varchar(14)	YES			
admin2Id	varchar(14)	YES			
admin3Id	varchar(14)	YES			
admin4Id	varchar(14)	YES			
updatedMain	enum('0','1')	YES		0	
newOrg	enum('0','1')	YES		0	

Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

continent

Field Name	Field Type	AllowNull	Key	Default	Extra
id	int(10) unsigned		PRI		auto_increment
name	varchar(55)				

Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	3		

country

Field Name	Field Type	AllowNull	Key	Default	Extra
id	int(11)		PRI		auto_increment
countryCode	char(3)	YES			
regionId	char(3)				
name	varchar(55)				

Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	237		

emergencycountry

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
countryId	int(10) unsigned			0		
numOfAdminLevels	tinyint(1)			1		
defaultCountry	tinyint(1)	YES		0		
defaultMainCity	varchar(50)					
admin1Name	varchar(30)					
admin2Name	varchar(30)	YES				
admin3Name	varchar(30)	YES				
admin4Name	varchar(30)	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

fundingstatus

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	3		

fundingtype

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	2		

mailinggroup

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	1		

office

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
orgld	varchar(14)					
name	varchar(30)					
officeType	varchar(14)					
officeStatus	varchar(14)	YES				
phone1	varchar(100)	YES				
phone2	varchar(100)	YES				
email	varchar(150)	YES				
fax	varchar(50)	YES				
address1	varchar(100)	YES				
address2	varchar(100)	YES				
zipcode	varchar(10)	YES				
otherInfo	varchar(200)	YES				
countryId	int(10) unsigned	YES				
admin1Id	varchar(14)	YES				
admin2Id	varchar(14)	YES				
admin3Id	varchar(14)	YES				
admin4Id	varchar(14)	YES				
pCode	varchar(20)	YES				
latX	double(14,8)	YES				
longY	double(14,8)	YES				
intlStaff	int(10) unsigned	YES				
natlStaff	int(10) unsigned	YES				
vehicleTypes	blob	YES				
numOfVehicles	int(10) unsigned	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

officestatus

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	5		

officetype

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	5		

organization

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(100)					
organizationType	varchar(14)					
acronym	varchar(25)					
clusterId	blob	YES				
website	varchar(150)	YES				
natlStaff	int(10) unsigned	YES				
intlStaff	int(10) unsigned	YES				
numOfVehicles	int(10) unsigned	YES				
vehicleTypes	blob	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

organizationtype

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	6		

placename

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(55)					
placeTypeId	varchar(14)	YES				
latX	double(14,8)	YES				
longY	double(14,8)	YES				
pCode	varchar(15)	YES				
countryId	int(10) unsigned			0		
admin1Id	varchar(14)					
admin2Id	varchar(14)	YES				
admin3Id	varchar(14)	YES				
admin4Id	varchar(14)	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

placetype

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	3		

project

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
orgId	varchar(14)					
sectorId	varchar(14)					
subSectorId	blob	YES				
projectTitle	varchar(200)	YES				
description	blob	YES				
objective	blob	YES				
projectTypeId	varchar(14)	YES				
projectStatusId	varchar(14)	YES				
projectThemeId	varchar(14)	YES				
capNumber	varchar(30)	YES				
startDate	varchar(10)	YES				
endDate	varchar(10)	YES				
primarybeneficiaryId	varchar(14)	YES				
numOfPrimarybeneficiary	int(10) unsigned	YES				
secondarybeneficiaryId	blob	YES				
numOfSecondarybeneficiary	int(10) unsigned	YES				
implementingPartners	blob	YES				
fundingTypeId	varchar(14)	YES				
fundingStatusId	varchar(14)	YES				
fundingAmount	float(15,4)	YES				
fundingCurrency	varchar(10)	YES				
fundReportedToFTS	enum('0','1')	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

projectfundingorganization

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
projectId	varchar(14)		PRI			
orgId	varchar(14)		PRI			
amount	float(15,2)	YES				
fundingCurrency	varchar(10)	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A			
PRIMARY	projectId		A			
PRIMARY	orgId		A	0		

projectgeographiclocation

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
projectId	varchar(14)					
countryId	varchar(14)					
admin1Id	varchar(14)					
admin2Id	varchar(14)	YES				
admin3Id	varchar(14)	YES				
admin4Id	varchar(14)	YES				
placeNameId	varchar(14)	YES				
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

projectstatus

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	6		

projecttheme

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	39		

projecttype

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	4		

projectwebinput

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
projectId	varchar(14)					
orgId	varchar(14)					
orgName	varchar(100)	YES				
orgType	varchar(14)	YES				
orgAcronym	varchar(25)	YES				
orgClusterId	blob	YES				
orgWebsite	varchar(150)	YES				
sectorId	varchar(14)					
subSectorId	blob	YES				
projectTitle	varchar(200)	YES				
primaryBeneficiaryId	varchar(14)	YES				
numOfPrimaryBeneficiary	int(11)	YES				
countryId	varchar(14)	YES				
admin1Id	varchar(14)	YES				
admin2Id	varchar(14)	YES				
admin3Id	varchar(14)	YES				
admin4Id	varchar(14)	YES				
placeNameId	varchar(14)	YES				
updatedMain	enum('0','1')	YES		0		
newOrg	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

region

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	char(3)		PRI			
continentId	int(10) unsigned			0		
name	varchar(55)					
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	10		

reportquery

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	int(2)		PRI		auto_increment	
uAI	varchar(16)					
publicQuery	enum('0','1')	YES		0		
name	varchar(25)	YES				
reportFile	varchar(30)	YES				
filter	blob	YES				
reportTitle	varchar(15)	YES				
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

sections

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	int(2)		PRI		auto_increment	
pageNumber	int(10) unsigned			0		
sectionNumber	int(10) unsigned			0		
sectionName	varchar(50)					
active	enum('0','1')	YES				
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	16		

sector

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
capId	int(11)			0		
name	varchar(55)					
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

stdsubsector

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	int(11)		PRI	0		
capId	int(11)			0		
name	varchar(55)					
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	131		

subsector

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
sectorId	varchar(14)					
name	varchar(55)					
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

synchlog

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
dataEntity	varchar(25)	YES				
FromIP	varchar(50)	YES				
ToIP	varchar(50)	YES				
dateNTime	varchar(10)	YES				
command	varchar(25)	YES				
result	varchar(25)	YES				
tableName	varchar(50)	YES				
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	0		

user

Field Name	Field Type	AllowNull	Key	Default	Extra	
uAI	varchar(16)		PRI			
uLe	char(3)	YES				
uPa	varchar(100)	YES				
name	varchar(16)	YES				
lastName	varchar(16)	YES				
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	uAI		A	1		

vehicletype

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	varchar(14)		PRI			
name	varchar(50)					
locked	tinyint(1)			0		
updated	varchar(10)	YES				
deleted	enum('0','1')	YES		0		
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	6		

yourorganizationinfo

Field Name	Field Type	AllowNull	Key	Default	Extra	
id	int(1)		PRI		auto_increment	
name	varchar(75)					
language	varchar(5)					
description	blob	YES				
logo	varchar(150)					
logo2	varchar(150)	YES				
address	varchar(75)	YES				
website	varchar(75)	YES				
phoneno	varchar(50)	YES				
fax	varchar(30)	YES				
email	varchar(30)	YES				
footertext1	varchar(50)	YES				
footertext2	varchar(50)	YES				
version	varchar(10)	YES				
siteName	varchar(25)	YES				
anonymousLogin	enum('0','1')	YES		1		
archiveDate	varchar(10)	YES				
enableEmail	enum('0','1')	YES				
smtpServer	varchar(50)	YES				
synchCV	blob	YES				
synchOrganization	blob	YES				
synchContact	blob	YES				
synchPlaceName	blob	YES				
synchProject	blob	YES				
Key Name	Field Name	NonUnique	Collation	Cardinality	Subpart	Packed
PRIMARY	id		A	1		